

Data written to the working file.

3 variables and 6 cases written.

Variable: ScrollingMethod Type: String Format : A2

Variable: Gender Type: String Format : A6

Variable: Count Type: Number Format : F2

Substitute the following to build syntax for these data.

/VARIABLES=

ScrollingMethod A2

Gender A6

Count F2

Crosstabs

[DataSet8]

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
ScrollingMethod * Gender	6	100.0%	0	0.0%	6	100.0%

ScrollingMethod * Gender Crosstabulation

Count

		Gender		Total
		Female	Male	
ScrollingMethod	CD	1	1	2
	KB	1	1	2
	MW	1	1	2
Total		3	3	6

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
ScrollingMethod * Gender	6	100.0%	0	0.0%	6	100.0%

ScrollingMethod * Gender Crosstabulation

Count

		Gender		
		Female	Male	Total
ScrollingMethod	CD	1	1	2
	KB	1	1	2
	MW	1	1	2
Total		3	3	6

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)
Pearson Chi-Square	.000 ^a	2	1.000
Likelihood Ratio	.000	2	1.000
N of Valid Cases	6		

a. 6 cells (100.0%) have expected count less than 5. The minimum expected count is 1.00.

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
ScrollingMethod * Gender	6	100.0%	0	0.0%	6	100.0%

ScrollingMethod * Gender Crosstabulation

			Gender		
			Female	Male	Total
ScrollingMethod	CD	Count	1	1	2
		Expected Count	1.0	1.0	2.0
		Residual	.0	.0	
	KB	Count	1	1	2
		Expected Count	1.0	1.0	2.0
		Residual	.0	.0	
	MW	Count	1	1	2
		Expected Count	1.0	1.0	2.0
		Residual	.0	.0	
Total		Count	3	3	6
		Expected Count	3.0	3.0	6.0

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)
Pearson Chi-Square	.000 ^a	2	1.000
Likelihood Ratio	.000	2	1.000
N of Valid Cases	6		

a. 6 cells (100.0%) have expected count less than 5. The minimum expected count is 1.00.

Crosstabs

Case Processing Summary

			Cases			
			Missing		Total	
	Valid		N	Percent	N	Percent
	N	Percent				
ScrollingMethod * Gender * Count	6	100.0%	0	0.0%	6	100.0%

ScrollingMethod * Gender * Count Crosstabulation

Count				Gender		Total
				Female	Male	
9	ScrollingMethod	CD	Count	1		1
			Expected Count	1.0		1.0
			Residual	.0		
	Total		Count	1		1
			Expected Count	1.0		1.0
13	ScrollingMethod	KB	Count		1	1
			Expected Count		1.0	1.0
			Residual		.0	
	Total		Count		1	1
			Expected Count		1.0	1.0
15	ScrollingMethod	CD	Count		1	1
			Expected Count		1.0	1.0
			Residual		.0	
	Total		Count		1	1
			Expected Count		1.0	1.0
16	ScrollingMethod	KB	Count	1		1
			Expected Count	1.0		1.0
			Residual	.0		
	Total		Count	1		1
			Expected Count	1.0		1.0
21	ScrollingMethod	MW	Count	1		1
			Expected Count	1.0		1.0
			Residual	.0		
	Total		Count	1		1
			Expected Count	1.0		1.0
28	ScrollingMethod	MW	Count		1	1
			Expected Count		1.0	1.0
			Residual		.0	
	Total		Count		1	1
			Expected Count		1.0	1.0
Total	ScrollingMethod	CD	Count	1	1	2
			Expected Count	1.0	1.0	2.0
			Residual	.0	.0	

ScrollingMethod * Gender * Count Crosstabulation

			Gender		
Count			Female	Male	Total
	KB	Count	1	1	2
		Expected Count	1.0	1.0	2.0
		Residual	.0	.0	
	MW	Count	1	1	2
		Expected Count	1.0	1.0	2.0
		Residual	.0	.0	
	Total	Count	3	3	6
		Expected Count	3.0	3.0	6.0

Chi-Square Tests

Count		Value	df	Asymptotic Significance (2- sided)
9	Pearson Chi-Square	. ^b		
	N of Valid Cases	1		
13	Pearson Chi-Square	. ^b		
	N of Valid Cases	1		
15	Pearson Chi-Square	. ^b		
	N of Valid Cases	1		
16	Pearson Chi-Square	. ^b		
	N of Valid Cases	1		
21	Pearson Chi-Square	. ^b		
	N of Valid Cases	1		
28	Pearson Chi-Square	. ^b		
	N of Valid Cases	1		
Total	Pearson Chi-Square	.000 ^a	2	1.000
	Likelihood Ratio	.000	2	1.000
	N of Valid Cases	6		

a. 6 cells (100.0%) have expected count less than 5. The minimum expected count is 1.00.

b. No statistics are computed because ScrollingMethod and Gender are constants.

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
ScrollingMethod * Gender	102	100.0%	0	0.0%	102	100.0%

ScrollingMethod * Gender Crosstabulation

			Gender		
			Female	Male	Total
ScrollingMethod	CD	Count	9	15	24
		Expected Count	10.8	13.2	24.0
		Residual	-1.8	1.8	
	KB	Count	16	13	29
		Expected Count	13.1	15.9	29.0
		Residual	2.9	-2.9	
	MW	Count	21	28	49
		Expected Count	22.1	26.9	49.0
		Residual	-1.1	1.1	
Total		Count	46	56	102
		Expected Count	46.0	56.0	102.0

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	1.848 ^a	2	.397
Likelihood Ratio	1.848	2	.397
N of Valid Cases	102		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 10.82.

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
ScrollingMethod * Gender	102	100.0%	0	0.0%	102	100.0%

ScrollingMethod * Gender Crosstabulation

			Gender		
			Female	Male	Total
ScrollingMethod	CD	Count	9	15	24
		Expected Count	10.8	13.2	24.0
	KB	Count	16	13	29
		Expected Count	13.1	15.9	29.0
	MW	Count	21	28	49
		Expected Count	22.1	26.9	49.0
Total	Count	46	56	102	
	Expected Count	46.0	56.0	102.0	

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)
Pearson Chi-Square	1.848 ^a	2	.397
Likelihood Ratio	1.848	2	.397
N of Valid Cases	102		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 10.82.

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
ScrollingMethod * Gender	101	100.0%	0	0.0%	101	100.0%

ScrollingMethod * Gender Crosstabulation

			Gender		
			Female	Male	Total
ScrollingMethod	CD	Count	9	15	24
		Expected Count	10.7	13.3	24.0
	KB	Count	15	13	28
		Expected Count	12.5	15.5	28.0
	MW	Count	21	28	49
		Expected Count	21.8	27.2	49.0
Total	Count	45	56	101	
	Expected Count	45.0	56.0	101.0	

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)
Pearson Chi-Square	1.462 ^a	2	.481
Likelihood Ratio	1.462	2	.481
N of Valid Cases	101		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 10.69.